



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

A+B FASTECH MAX 40 (1008-8389015)



Control type
konventionell

Machine no.
1008-8389015

Make
A+B FASTECH

Location
Ahaus

Furnishing :

- Maximum performance, minimum consumption
- hydraulic combined machine for bending and cutting operations
- * for e.g. structural steel or solid material
- Bending mode with 3x different angle settings
- Manual and automatic mode selectable
- simultaneous bending and cutting operations When the machine is running, -
- "ECO mode" = hydraulic pump only runs when the foot switch is actuated
- free-moving footswitch
- Operation manual

Technical specifications :

- Steel 45 kg / mm² .. Bend Ø 36.0 mm / cutting Ø 36.0 mm
- * for 2x pieces - steel 45 kg / mm² .. bend Ø 20.0 mm / cutting Ø 24.0 mm
- Steel 65 kg / mm² .. bend Ø 32.0 mm / cutting Ø 32.0 mm
- * for 2x pieces - steel 65 kg / mm² .. bend Ø 18.0 mm / cutting Ø 20.0 mm
- Steel 85 kg / mm² .. Bend Ø 26.0 mm / cutting Ø 28.0 mm
- * for 2x pieces - steel 85 kg / mm² .. bend Ø 14.0 mm / cutting Ø 18.0 mm

Machine attributes

bending diam. - max.:	36,0 mm ST
cutting thickness max.:	36,0 mm ST
motor:	1450 U/min
oil volume:	32,0 l
motor:	380 Volt 50 Hz
total power requirement:	5,5 kW
weight:	650 kg
range L-W-H:	1470 x 1200 x 1020 mm



Machine images





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchsmaschinen



GMS GÖÇMAKSAN®

BÜKÜM KAPASİTESİ / BENDING CAPACITY

Çelik Kalitesi / Steel Quality	Çap / Büküldüğü Adet / Diameter / Number Can Be Bonded				
45 kg / mm ²	Ø 36 x 1	Ø 18 x 2	Ø 14 x 2	Ø 9 x 4	Ø 6 x 6
65 kg / mm ²	Ø 32 x 1	Ø 16 x 2	Ø 14 x 2	Ø 9 x 3	Ø 6 x 4
85 kg / mm ²	Ø 28 x 1	Ø 12 x 2	Ø 9 x 2	Ø 9 x 3	Ø 4 x 6

Çelik Kalitesi / Steel Quality

	ÇAP / BÜKEBİLDİĞİ ADET / DIAMETER / NUMBER CAN BE BENDED				
45 kg / mm ²	Ø 36 x 1	Ø 18 x 2	Ø 14 x 2	Ø 9 x 4	Ø 6 x 6
65 kg / mm ²	Ø 28 x 1	Ø 16 x 2	Ø 14 x 2	Ø 9 x 3	Ø 6 x 4
85 kg / mm ²	Ø 26 x 1	Ø 12 x 2	Ø 9 x 2	Ø 6 x 3	Ø 4 x 6

KESİM KAPASİTESİ / CUTTING CAPACITY

Adet / Piece	Çelik Kalitesi / Steel Quality		
	45 kg / mm ²	65 kg / mm ²	85 kg / mm ²
1	Ø 36	Ø 32	Ø 28
1	Ø 24	Ø 20	Ø 18
2	Ø 18	Ø 16	Ø 14
3	Ø 16	Ø 14	Ø 12
3	Ø 14	Ø 12	Ø 10
4	Ø 12	Ø 10	Ø 8
5	Ø 10	Ø 8	Ø 6
1	30	24	20
2	20	16	12
3	16	14	10
4	14	12	10
1	70 x 12	70 x 10	70 x 8
2	60 x 15	60 x 10	60 x 8
3	50 x 15	50 x 12	50 x 10

FOR MODEL'S SPECIAL: MAX 40
SERİ NO SERIAL NO
ÜRETİM YILI PRODUCTION YEAR
 2022
MOTOR GÜCÜ MOTOR POWER
 2 kW
MOTOR DEVRİ MOTOR REVOLUTION
 600 d/d
MOTOR GÜCÜ MOTOR POWER
 3 kW
MOTOR DEVRİ MOTOR REVOLUTION
 1500 d/d
AĞIRLIK WEIGHT
 540 Kg

MRK: Akentler Bulv. No: 216 TEL: +90 312 385 79 17 (5 HAT) 354 26 58 FAKS: 354 40 14 OSTİM / ANKARA
 ŞUBE: İktisadi OSB, Sektörel San. Böl. 1.B. No: 17-19 İktisadi / İSTANBUL, Tel: +90 212 671 52 89 Fax: +90 212 671 41 95
 FABR: Bahçelievler Mah. 46. Sok. No:3 Sarayköy Akyurt / ANKARA
 444 6 467 - 444 6 GMS
 www.gocmaksan.com info@gocmaksan.com

TSEK MADE IN TURKEY