



Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: www.ab-maschinen.de  
E-Mail: info@ab-maschinen.de

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werksvertretungen  
Gebrauchtmaschinen

## BERG & SCHMID GBS 242 DG AutoCut (1008-8170062)

© A + B Werkzeuge Maschinen Handels GmbH



**Control type**  
konventionell

**Machine no.**  
1008-8170062

**Make**  
BERG & SCHMID

**Location**  
Ahaus

### Furnishing:

- Miter cuts left 60 ° + right 45 °
- cutting speed 37 + 74 m / min.
- Ball-bearing turntable for easy miter adjustment (durable)
- Movable quick-release vice
- Quick release lever
- easy miter adjustment
- for sawing solid material and profiles
- Machine base with automatic cooling
- electrical display and monitoring of the machine
- Operation manual

### Auto-cut system = 3-step system

- Automatic lowering of the saw frame via the hydraulic cylinder
- infinitely adjustable feed
- with limit switch
- High speed lowering of the saw frame from the rest position to the workpiece










- then switch to normal saw feed
- Manual mode

## Machine attributes

cutting diameter:	250 mm
capacity 90 degrees: square:	210 x 210 mm
capacity 90 degrees: flat:	290 x 210 mm
capacity 45 degrees: round:	220 mm
capacity 45 degrees: square:	200 x 200 mm
capacity 45 degrees: flat:	210 x 200 mm
capacity 60 degrees: round:	140 mm
capacity 60 degrees: square:	130 x 130 mm
capacity 60 degrees: flat:	140 x 130 mm
dimensions of saw-band:	2965 x 27 x 0,9 mm
cutting speed:	35 + 70 m/min
work height max.:	940 mm
total power requirement:	1,1 / 1,3 kW
weight of the machine ca.:	290 kg.
range L-W-H:	1250 x 1500 x 1700 mm

## Machine images

© A + B Werkzeuge Maschinen Handels GmbH

									Best. Nr.
90°	250	210	290 x 210	400 V 1,1/1,3	H 27	290			
45° li.	220	200	210 x 200		≤ 0,9		B 1.250 L 1.500 H 1.700 h 940	35 + 70	20 346
60° li.	140	130	140 x 130		L 2.965			25 - 90	20 347
45° re.	170	170	170 x 170						