



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

BERNARDO GB 55 NC Vario (1008-8104212)



Control type
konventionell

Machine no.
1008-8104212

Make
BERNARDO

Location
Ahaus

Scope of delivery

- Keyed drill chuck 1 - 13 mm / B 16
- Drill chuck arbor MK 4 / B 16
- Reducing sleeve MK 4 / 3, MK 4 / 2, MK 3 / 1
- Motorized table stroke
- Coolant device
- Touchscreen
- Automatic tool ejector
- Electromagnetic spindle feed
- Thread cutting device
- Initial filling with Shell Tellus 46
- LED machine light
- Digital speed display
- Digital drilling depth display
- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter):	50.0 mm
throat:	360 mm
bore stroke:	225 mm
morse taper:	4 MK
table:	570 x 480 mm
threading:	M 42 Stahl
turning speeds:	50-316 / 316-2200 U/min
feed:	0.08 - 0.50 mm/U
column diameter:	180 mm
distance spindle /table:	max. 580 mm
distance spindle/base plate:	max. 1185 mm
total power requirement:	3.0 kW
weight:	630 kg
range L-W-H:	1020 x 750 x 2340 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmaschinen


© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH