



Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: [www.ab-maschinen.de](http://www.ab-maschinen.de)  
E-Mail: [info@ab-maschinen.de](mailto:info@ab-maschinen.de)

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werksvertretungen  
Gebrauchtmaschinen

## BERNARDO MS 75 x 2000 S-2 (1008-823805)

© A & B Werkzeuge- & Maschinenhandels GmbH



**Control type**  
konventionell

**Machine no.**  
1008-823805

**Make**  
BERNARDO

**Location**  
Ahaus

\*\* Standard with 2 speeds, ideal for grinding stainless steel

### properties

- Good sanding performance due to high belt speed
- Quick adjustment for horizontal and inclined position
- Continuous flat grinding surface for optimal grinding of long workpieces
- Constant belt tension through spring-loaded tensioning device
- Universally applicable for grinding edges, surfaces and for cylindrical grinding
- Including quick-release system for quick strap changes
- Simple adjustment of the parallel belt run by means of an adjusting screw
- Graphite coating on the flat grinding surface increases the sliding properties of the Sanding belt

### scope of delivery

- Sanding belt K 80
- Hinged protective screen

- Sanding and support table
- workpiece stop
- Dust extraction nozzle
- Separate off button
- underframe

## Machine attributes

|                            |                       |
|----------------------------|-----------------------|
| width of the strips:       | 75.0 mm               |
| band length:               | 2000 mm               |
| band speed:                | 14.5 + 29 m/sek       |
| grinding width:            | 460 x 75 Plantisch mm |
| Dust suction hood:         | 100 mm                |
| total power requirement:   | 3.0 kW 100% ED        |
| weight of the machine ca.: | 67.0 kg               |
| range L-W-H:               | 1080 x 440 x 1000 mm  |

## Machine images

© A & B Werkzeuge- & Maschinenhandels GmbH



© A & B Werkzeuge- & Maschinenhandels GmbH



© A & B Werkzeuge- & Maschinenhandels GmbH

