

Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de

E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

BERNARDO SB 40 Profi (1008-8100277)



Control type konventionell

Machine no. 1008-8100277

Make BERNARDO

Location Ahaus

characteristics

- Vario drive for precise setting of the speed
- Quill infeed either by hand or by mechanical feed
- Easy tool change thanks to automatic tool ejector
- Set speed can be read quickly and easily using the digital display
- Solid, swiveling gray cast iron table with T-slots and coolant channel
- The coolant system and lighting are included in the scope of delivery
- Adjustable drilling depth stop, drilling depth can be read off using a scale
- Right-left rotation device for thread cutting

scope of delivery

- Drill chuck arbor MK 4 / B 16
- coolant device
- Digital speed display
- Keyless chuck 1 16 mm / B 16
- Reducing sleeve MK 4/3, MK 4/2, MK 3/1
- LED machine light
- Automatic tool ejector
- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter): 40,0 mm throat: 320 mm bore stroke: 160 mm morse taper: 4 MK

table:: $505 \times 425 \text{ mm}$ swivelling +/-: 50 Grad T-slots: 14,0 mm

turning speeds: 90 - 1455 U/min quill feed: 0,1/0,2/0,3 mm/U


column diameter: 120 mm total power requirement: 1,0/1,5 kW weight of the machine ca.: 380 kg.

range L-W-H: 500 x 930 x 1870 mm

Machine images











Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

A + B Werkzeuge Maschinen Handels GmbH



