



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

DURMA VS 3016 (1008-9325401)



Control type
CNC

Construction year
2015

Machine no.
1008-9325401

Make
DURMA

Location
Ahaus

** Good / well-maintained condition (!!)

** New price ~ ?120.000

** Special price upon request

Features:

- Robust electro-hydraulic sheet metal shear ("guided")
- CNC control unit D-Touch 7 ("touchscreen")
- * Anti-reflective robust 7" color touchscreen control panel
- * Easy positioning to the desired size
- * Positioning accuracy 0.1 mm
- * Unlimited material definition in the material library
- * Intuitive menu navigation
- * Separate display for actual and target values
- * Backgauge retraction function
- * Cutting length control via adjustable stroke length
- * Cut counter
- * Automatic machine stop when the programmed cuts are reached
- CNC electro-motorized adjustable backgauge
- * Travel range max. 1,000 mm

- * Backgauge adjustment via ball screws and linear guides
- CNC electro-motorized cutting gap adjustment
- CNC Electro-hydraulic cutting angle adjustment
- Heavy-duty welded steel construction
- Ergonomically positioned and clearly laid-out control panel
- Hold-down clamp positioned close to the cutting edge
- Front light barrier (instead of finger guard)
- Self-regulating hold-down clamp pressure
- Rear safety device (light barrier)
- 1x side stop (L = 1,500 mm)
- 2x support arms (L = 1,000 mm each)
- Wide sheet supports with ball transfer rollers
- Mobile foot switch with emergency stop function
- High-quality, regrindable blades (split)
- Rear sheet chute
- Original operating instructions

Machine attributes

sheet width:	3080 mm
plate thickness:	16.0 mm
thickness at "Niro-steel":	12.0 mm
cutting angle:	0.5 - 2.5 °
no. of strokes:	7 - 12 Hub/min
back stop - adjustable:	max. 1000 mm
traversing speed:	200 mm/sek
work height max.:	840 mm
down holder:	14 Stück
Column width:	3420 mm
throat:	350 mm
Control:	D-Touch 7
oil volume:	450 l
voltage:	400 V
engine output:	45.0 kW
weight:	18150 kg
range L-W-H:	4130 x 2210 x 2570 mm

Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmaschinen





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines

© A + B Werkzeuge Maschinen Handels GmbH

TYPE		VS	3016
URETIM YILI BAUJAHR ANNO DI COSTRUZIONE ROK VYROBY ROK PRODUKCIJ TILVERKINGSÅR	- MANUFACTURING YEAR - AÑO DE FABRICACION - ANNEE FABRICATION - VALMISTUSVUOSI - BYGGÅR - BOUWJAAR	2015	
SERİ NO MASH-NR MATICOLA VYROBNÍ ČÍSLO NUMER MASZYN SERIENUMMER	- MACHINE NO - N°DE SERIE - N°DE SERIE - VALMISTUSNUMERO - MASKINNR. - SERIE-NUMMER	6915161463	
KAPASITE KAPAZITAT CAPACITA' KAPACITA NACISK KAPACITET	- CAPACITY - CAPACIDAD - CAPACITE - TEHO - KAPASITET - CAPACITEIT	3080x16mm	
STROK HUB CORSA ZDVUH SKOK SKOK	- STROKE - CARRERA - COURSE - ISKUNPITUUS - SLAG - SLAG	175	mm
VURUS SAYISI HUBZAHL PRO MIN. COLPI AL MINUTO POČET ZDVHU ZA MIN CYKLE NA MINUTE SLAG/MINUT	- STROKE IN A MINUTE - GOLPES POR MINUTO - COUPS PAR MINUTE - ISKULUKU - SLAGANTALL PR. MIN. - AANTAL SLAGEN/MIN	8-16	1/min
YAĞ KAPASİTESİ ÖLTANK KAPAZITAT CAPACITA' SERBATOIO OLEJAVŇ NAPLN POJEMNOŠ ZBIORNIKA OLJETANKENS RYMD	- LUBRICANT CAPACITY - CAPACIDAD DEL LUBRICANTE - CAPACITE RESERVOIR - ÖLJYMÄÄRÄ - KAPACITET OLJETANK - TANK INHOUD	500	lt
ÜST KALIP AĞIRLIĞI GEWICHT OBERWERKZEUG PESO UTENSILE SUPERIORE HMOTNOST H NASTROJE CIĘZAR NARZ. GÓRNEGO ÖVERVERKTYGETS VIKT	- TOP TOOL WEIGHT - PESO DEL PUNZÓN - POIDS DU PONSÓN - FLATYKALUN PAINO - VEKT OVERVERKTOEY - GEWICHT BOVENSTEMPEL	-	Kg
ALT KALIP AĞIRLIĞI GEWICHT UNTERWERKZEUG PESO UTENSILE INFERIORE HMOTNOST S NASTROJE CIĘZAR NARZ. DOINEGO UNDERVERKTYGETS VIKT	- BOTTOM TOOL WEIGHT - PESO DE LA MATRIZ - POIDS DE LA MATRICE - ALATYKALUN PAINO - VEKT UNDERVERKTOEY - GEWICHT MATRIJS	-	Kg
EN BREITE LARGHEZZA ŠÍRKA SZEROKOŠĆ DJUP	- WIDTH - ANCHO - LARGEUR - LEVEYS - BREDDTE - BREDTE	3280	mm
BOY LÄNGE LUNGHEZZA DĚLKA DLUGOŠĆ LÄNGD	- LENGTH - LARGO - LONGUEUR - PITUUS - LENGDE - LENGTE	4200	mm
YÜKSEKLİK HÖHE ALTEZZA VÝŠKA WYSOKOŠĆ HOJD	- HEIGHT - ALTO - HAUTEUR - KORKEUS - HOEYDE - HOOGTE	2950	mm
AĞIRLIK GEWICHT PESO HMOTNOST CIĘZAR MASKINVIKT	- WEIGHT - PESO - POIDS - PAINO - VEKT - GEWICHT	18150	Kg
<p>DURMAZLAR MAKİNA SANAYİ ve TİCARET A.Ş. Organize Sanayi Bölgesi 75. Yıl Bulvarı BURSA / TÜRKİYE Tel: +90 224 219 16 00 pbx. Fax : +90 224 242 75 80 MADE IN TURKEY</p>			