



Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: www.ab-maschinen.de  
E-Mail: info@ab-maschinen.de

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werksvertretungen  
Gebrauchtmaschinen

## ERMAK CNC HGS 2100-6 (1008-832101)



**Control type**  
konventionell

**Machine no.**  
1008-832101

**Make**  
ERMAK

-----  
electr. / hydraulic CNC swing cut shears  
\* with CYBELEC CNC touch screen control  
\* with electr. / hydr. Kerf adjustment  
-----

### Furnishing:

- CNC electr. / hydraulic swing cut shears
- CYBELEC CNC touch screen controller, model CybTouch 8
- \* Backgauge preselection - X axis
- \* Cutting gap adjustment
- \* Quantity
- \* Cutting length limitation
- \* Material preselection, including sheet thickness
- \* Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)
- \* on ball screws
- \* autom. Can be folded up at max.travel, for longer cuts

- 1x side stop
- 2x front support arms
- Ball casters in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

## Machine attributes

|                            |                          |
|----------------------------|--------------------------|
| sheet width:               | 2100 mm                  |
| plate thickness:           | 6,0 mm ST 42             |
| thickness at "Niro-steel": | 4,0 mm VA                |
| cutting angle:             | 1,2 Grad                 |
| no. of strokes:            | 28 Hub/min               |
| oil volume:                | 150 ltr.                 |
| down holder:               | 11 Stück                 |
| control:                   | CYBELEC CybTouch         |
| engine output:             | 11,0 kW                  |
| back stop - adjustable:    | 1.000 mm                 |
| table height:              | 800 mm                   |
| weight:                    | 4.500 kg                 |
| range L-W-H:               | 3.010 x 2.100 x 1.640 mm |

## Machine images





Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: [www.ab-maschinen.de](http://www.ab-maschinen.de)  
E-Mail: [info@ab-maschinen.de](mailto:info@ab-maschinen.de)

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werkvertretungen  
Gebrauchtmachines

© A + B Werkzeuge- & Maschinenhandels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: [www.ab-maschinen.de](http://www.ab-maschinen.de)  
E-Mail: [info@ab-maschinen.de](mailto:info@ab-maschinen.de)

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werksvertretungen  
Gebrauchtmaschinen

© A + B Werkzeuge Maschinen Handels GmbH

