

Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

ERMAK POWER BEND PRO 37.220 (1008-8308145)



Control type CNC

Machine no. 1008-8308145

Make ERMAK

LocationAhaus

Press brake with special equipment

Fress brake with special equipme

- * increased installation height
- * increased cylinder stroke
- * as well as increased bending beam speeds

Furnishing:

- DELEM CNC control model DA 58T (TouchScreen)
- Motorized backgauge with R-axis, on recirculating ball spindles
- X = 800 mm R = 250 mm with 2 stop fingers
- controlled axes Y1 Y2 X R C (crowning)
- electr. Crowning controlled by CNC
- Upper deer foot tool with PS 135.85-R08, system "A" with quick-change clamp
- Additional crowning device in the tool holder of the upper tool
- Universal die block

- BOSCH / HOERBIGER hydr. Components
- SIEMENS electrical system
- LEUZE light barrier behind the machine
- FIESSLER AKAS laser with FPSC protective device v.d. machine
- Swiveling control panel, mounted on the left
- 2x front support arms "sliding system", with T-slot and tilting cam
- 1x double foot control
- CE mark / declaration of conformity
- User manual: machine and control in German
- Safety manual: press brakes

Machine attributes

pressure: 220 t chamfer lenght: 3760 mm distance between columns: 3250 mm column arm: 410 mm ram stroke speed: 180 mm/sec 10.0 mm/sec work speed: return speed: 160 mm/sec work stroke: 275 mm dayligth: 550 mm table height: 900 mm table width: 160 mm oil volume: 300 ltr. voltage: 400 Volt 18.5 kW total power requirement: weight: 12906 kg

range L-W-H: 5100 x 2250 x 2900 mm

Machine images







Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen





