



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

INDUMASCH 200 H (1008-9397077)



Control type
konventionell

Machine no.
1008-9397077

Make
INDUMASCH

Location
Ahaus


Furnishing:

- robust hydraulic notching machine, with adjustable angle
- Adjustment range 30 - 120 degrees
- * Adjustment with the 2x front handwheels
- hydraulic clamping and locking
- Infinitely adjustable cutting depth, with digital display
- 2x locking accuracy stop, with stop bars
- Stripper for sheet metal cutting
- Collecting container for clippings
- Freely movable foot pedal for triggering the stroke

Machine attributes

plate thickness:	4.0 mm
thickness at "Niro-steel":	3.0 mm
blade length:	200 mm
angle adjustable from - to:	30 - 120 Grad
no. of strokes:	60 Hub/min
oil volume:	60.0 ltr.
table::	1000 x 800 mm
total power requirement:	2.62 kW
weight:	800 kg
range L-W-H:	1000 x 1500 x 1440 mm

Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmaschinen

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

