

Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

MB PRO 1 (1008-845900)



Control type konventionell

Machine no. 1008-845900

Make MB

LocationAhaus

Furnishing:

- Precise drive unit with face plate, on a stable floor stand.
- clockwise / counterclockwise
- 2 speed series, stepless
- Swivel range from 0 ° 90 °. Manual tilt
- DC gear motor with worm gear, infinitely variable.
- diameter of 300 mm. Chrome-plated surface to protect against weld spatter.
- The device's control panel is easy to understand and use.
- Start / stop via a location-independent foot switch.
- The speed and direction of rotation are set on the machine.
- HF protected.

Scope of delivery:

- control (integrated)
- foot switch

Machine attributes

total power requirement: 230 Volt table diameter: 300 mm

table load: 100 Horizontal kg swivelling range: 0 - 90 Grad turning speeds: 0,2 - 2,0 U/min turning speeds: 1,2 - 12,0 U/min

bore: 20,0 mm weight of the machine ca.: 50 kg

dimensions of the machine ca.: 480 x 325 x 470 mm


Machine images







Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen









Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

