

Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

MEP - Halbautomat SHARK 382-1 SXI evo (1008-8174105)



Control type

konventionell

Machine no. 1008-8174105

Make MEP - Halbautomat

LocationAhaus

Furnishing:

- Miter band saw / semi-automatic, for cuts Left up to 60 $^{\circ}$ / right up to 45 $^{\circ}$
- autom. Saw bow lowering, infinitely adjustable feed
- Limit switch-off at the end of the cut
- hydraulic vice clamping
- manual function
- built-in coolant device
- large turntable with bearings
- Required instructions
- saw band
- Chip removal brush
- Operating instructions in German

Functionality of semi-automatic operation:

- Clamping the vice
- Hydraulic lowering of the saw frame

- Lifting the saw frame
- Open the brow stick

Control modes:

- Manual mode
- Semi-automatic dynamic operation
- The semi-automatic cut is made by manually approaching the saw bow started in any position by actuating the hand switch
- Semi-automatic operation (start / stop position of the saw bow is over the keyboard programmed, vice closes / opens automatically, the saw arch is automatically guided back to the start of the cut)

Machine attributes

cutting diameter: 280 mm

capacity 90 degrees: flat: $380 \times 260 \,$ mm capacity 90 degrees: square: $260 \times 260 \,$ mm capacity 45 degrees: flat: $300 \times 200 \,$ mm

capacity 45 degrees: round: 260 mm

capacity 45 degrees: square:

capacity 60 degrees: flat:

capacity 60 degrees: square:

170 x 170 mm

capacity 60 degrees: round:

180 mm

turning speed range::

40 / 80 m/min

dimensions of saw-band: 3440 x 27 x 0,9 mm

engine output: $1,5/1,8\,$ kW dimensions of the machine ca.: $1647\times2157\,$ mm

weight: 720 kg

Machine images

