



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

OMAG CEL 104 (1008-9325409)



Control type
konventionell

Machine no.
1008-9325409

Make
OMAG

Location
Ahaus

** From a maintenance workshop

** In good condition (!!)

Features:

- Robust electro-hydraulic sheet metal shear
- Electric motor-driven backgauge
- * Backlash-free ball screw for backgauge
- * Travel speed 100 mm/sec
- Electric cutting length limiter
- * Cutting length limiter to increase the stroke rate per minute
- Manual cutting gap adjustment (lateral adjustment)
- Front support table with recessed grips
- Front finger/interference guard
- 1x side stop with T-slot and millimeter scale
- 2x front support arms
- 1x freely movable foot switch
- Operating instructions (PDF)

Machine attributes

sheet width:	1050 mm
plate thickness:	4.0 mm
thickness at "Niro-steel":	3.0 mm
distance between columns:	1200 mm
blade length:	1150 mm
no. of strokes:	46 - 69 Hub/min
cutting angle:	1.30 °
Control:	konv.
oil volume:	100 ltr.
total power requirement:	5.68 kW
weight:	1100 kg
range L-W-H:	1600 x 1500 x 1400 mm

Machine images





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmaschinen

