



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

PEDDINGHAUS Peddimax 801 (1008-9412158)



Control type
konventionell

Machine no.
1008-9412158

Make
PEDDINGHAUS

Location
Ahaus

** from a maintenance workshop

Furnishing:

- Robust electro-hydraulic combined profile steel shears
- Notcher, hole punch, bar steel knife, profile knife and tin snips
- Stop table at the hole punch, with blank holder
- Stop table at the notcher
- 2x floating footswitches
- Stroke adjustment for fast stroke sequence
- 1x PEDDINGHAUS contact length stop: 1.000 mm
- Safety devices
- Operating instructions in German

Machine attributes

pressure:	80,0 t
punching cross-cut in cmm:	31,0 in 25 mm
shear: flat material:	500x18 / 300x22 mm
L-beam:	150 x 12 mm
round bar steel:	50 + 25 mm
square edge steel:	50 + 30 mm
throat:	510 mm
blade length:	500 mm
work height max.:	ca. 1.100 mm
total power requirement:	7,5 kW
weight of the machine ca.:	3200 kg
dimensions of the machine ca.:	2000 x 1000 x 2100 mm

Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmaschinen





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines

© A + B Werkzeuge Maschinen Handels GmbH

Peddimax 801
 Nr. _____

	<table border="1"> <tr> <th>Ø</th> <th>S</th> </tr> <tr> <td>31</td> <td>25</td> </tr> <tr> <td>65</td> <td>12</td> </tr> <tr> <td>90</td> <td>8,5</td> </tr> <tr> <td>100</td> <td>7,5</td> </tr> </table>	Ø	S	31	25	65	12	90	8,5	100	7,5		<table border="1"> <tr> <th>B x S</th> </tr> <tr> <td>500 x 18</td> </tr> <tr> <td>400 x 20</td> </tr> <tr> <td>300 x 22</td> </tr> </table>	B x S	500 x 18	400 x 20	300 x 22
Ø	S																
31	25																
65	12																
90	8,5																
100	7,5																
B x S																	
500 x 18																	
400 x 20																	
300 x 22																	
<table border="1"> <tr> <th>90°</th> <th>150 x 12</th> </tr> <tr> <td>○ 50 + 25</td> <td>□ 50 + 30</td> </tr> <tr> <td>┌┐</td> <td>┌┐</td> </tr> <tr> <td></td> <td>180</td> </tr> </table>	90°	150 x 12	○ 50 + 25	□ 50 + 30	┌┐	┌┐		180			<table border="1"> <tr> <td>B = 65</td> <td>T = 65</td> </tr> <tr> <td>T = 85</td> <td>S = 13</td> </tr> <tr> <td>S = 13</td> <td></td> </tr> </table>	B = 65	T = 65	T = 85	S = 13	S = 13	
90°	150 x 12																
○ 50 + 25	□ 50 + 30																
┌┐	┌┐																
	180																
B = 65	T = 65																
T = 85	S = 13																
S = 13																	

Arbeitsdruck
 Operating pressure 250 bar
 Pression de travail 3550 psi
 Presion de trabajo

Gewicht
 Weight 2950 Kg
 Poids 6500 lbs
 Peso

ORIGINAL PEDDINGHAUS
Peddinghaus
 Paul Ferd. Peddinghaus • D-58285 Gevelsberg • Germany
 Tel.: (0 23 32) 720-0 • Telefax: (0 23 32) 72 208 • Telex: 8 229 474

44236 787 01 02