



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

RAS 52.7 (1008-9325393)



Control type
konventionell

Construction year
1963

Machine no.
1008-9325393

Make
RAS

Location
Ahaus

Equipment:

- robust / motorized crank guillotine shears with motor drive
- break-proof, torsion-free steel welded construction
- compact and clear machine design
- manual back stop, with analog position display
- * adjustable from behind
- * continuous adjustment over the entire travel range
- * travel range max. 550 mm
- 1x hold-down bar
- 1x side stop
- 1x front support arm
- original operating instructions

Machine attributes

sheet width:	1040 mm
plate thickness:	2.50 mm
thickness at "Niro-steel":	1.25 mm
no. of strokes:	max. 90 Hub/min
cutting angle:	2.70 Grad
distance between columns:	1060 mm
work height max.:	940 mm
back stop - adjustable:	max. 550 mm
column arm:	120 mm
voltage:	400 V
engine output:	4.0 kW
weight of the machine ca.:	820 kg.
range L-W-H:	1650 x 1200 x 1250 mm

Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmachines





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

© A + B Werkzeuge Maschinen Handels GmbH

