



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

RAS 83.20 (1008-9325338)



Control type
konventionell

Machine no.
1008-9325338

Make
RAS

Location
Ahaus

Furnishing:

- robust / motorized swing-cut guillotine shears
- Shatterproof, torsion-free steel welded construction
- compact and clear mechanical design
- manual backgauge, with analogue position display
 - * adjustable from the front
 - * Continuous adjustment over the entire travel range
 - * Adjustment range 1.0 - 550 mm
- Machine side stand with projection .. 100 mm
- manual cutting gap adjustment
- 1x hold-down bar
- 1x long side stop
- 2x support arms
- 1x freely movable foot switch
- rear sheet metal slide
- 2x EMERGENCY stop buttons at the front
- Connection cable including plug
- original instruction manual

* Machine link:

<http://mhp.logotech.de/hpm/v7/Datenblatt/datenblatt.php?machineno=1008-9325338>

Machine attributes

sheet width:	2040 mm
plate thickness:	3.0 mm
thickness at "Niro-steel":	1.5 mm
no. of strokes:	50 Hub/min
cutting angle:	1.4 Grad
table height:	750 mm
distance between columns:	2120 mm
back stop - adjustable:	1.0 - 550 mm
column arm:	100 mm
Control:	manuell
engine output:	5.5 kW
weight of the machine ca.:	2050 kg.
range L-W-H:	2600 x 1980 x 1400 mm



Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchsmaschinen





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

