



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

RSA RASAMAX DUO (1008-9238970)



Control type
konventionell

Construction year
1987

Machine no.
1008-9238970

Make
RSA

Location
Ahaus

- in checked condition - machine video -
<https://www.youtube.com/watch?v=3ljRrzZWL00>

Description :

RASAMAX DUO was specially developed for the fast and reliable developed for deburring straight sheet metal. The deburring machine has two counter-rotating deburring brushes that two offset levels. With this principle, upper and Lower edge of sheet metal deburred simultaneously in one operation. This means up to 50% time savings compared to other methods!

RASAMAX DUO is suitable for deburring individual pieces and small series and designed with its robust construction for continuous use.

Furnishing:

- efficient deburring of straight sheets
- for steel, stainless steel, non-ferrous metals

Machine attributes

plate thickness:	5,0 mm
turning speed range:	1500 / 3000 U/min
diameter of brush:	250 mm
width of brush:	80 mm
voltage:	380 Volt
total power requirement:	2,4 / 3,0 kW
weight of the machine ca.:	175 kg
dimensions of the machine ca.:	700 x 460 x 1200 mm

Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmachines



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



RSA ENTGRAT-TECHNIK

Postfach 2680 - Freisenbergstr. 19
D- 5880 Lüdenscheid

MASCHINENTYP	RASAMAX ST
MASCHINEN-NR.	3 600 1037
BAUJAHR	1997
BETR.U.SCHUTZART	S1-100% IP 54
ELEKTR. ANSCHL.	380 V 50 Hz 3~
ANSCHLUSSWERT	1,0/1,4 kW
DREHZAHL	1500/3000 Upm