



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

SCHROEDER MHSU 1500 x 2.0 (1008-9325389)



Control type
konventionell

Construction year
1978

Machine no.
1008-9325389

Make
SCHROEDER

Location
Ahaus

Equipment:

- robust / motorized swing cut guillotine shears
- break-proof, torsion-free steel welded construction
- compact and clear machine design
- manual back stop, with analog position display
- * adjustable from behind
- * stepless adjustment over the entire travel range
- * travel range max. 725 mm
- 1x hold-down bar
- 1x freely movable foot switch
- front, extendable table extension
- connection cable + plug

Machine attributes

sheet width:	1530 mm
plate thickness:	2.0 mm
thickness at "Niro-steel":	1.0 mm
no. of strokes:	max. 34 Hub/min
cutting angle:	2.70 Grad
distance between columns:	1540 mm
work height max.:	920 mm
voltage:	400 V
Control:	konv.
engine output:	3.0 kW
weight of the machine ca.:	950 kg.
range L-W-H:	2275 x 2220 x 1400 mm



Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchsmaschinen





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

